


# GDH MAKINA



**PACKAGING MACHINES**

## **Passion for Packaging**

**FOR POWDER \* PASTES \* LIQUIDS & GRANULAR \* PRODUCTS**



**GDH**  
**MAKINA**





# Stick Paketleme Makinası

## Stick Packaging Machine



Stick paketleme makinası, toz halindeki ürünleri (Toz şeker, tuz, kuru kahve) stick paketler halinde doldurur. Paket malzemesi alüminyum ve kuşe kağıtlarla uyumludur.

This is a multiline vertical form fill seal packaging machine for granule stickpack, whit it's high capacity, high configuraiton and stable working. It is very popular used pharmaceutical, chemical, and daily use product.



**Min.  
250  
Stick**



- \* Stainless Frame
- \* All product contact parts made of stainless (304)



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-Max: 40mm x 250 mm
Gramaj	Min: 2 gr - Max: 25 gr
Ürün Kapasitesi (Dk. Adet)	Min: 80 - Pk./Dk. Max: 300 Pk./Dk.
Makina Ağırlığı	400 kg
Elektrik İhtiyacı	2 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L145 x W110xH 230 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.-Max: 40mm x 250 mm
Weight of Bag	Min: 2 gr - Max: 25 gr
Production Capacity (sachet/min)	Min: 80 sachets/min Max: 300 sachets/min
Weight	400 kg
Electrical Data	2 KW/h 3x380 Volt. three-phased
Packing Metarial	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 atu 100Lt/min
Dimensions	L145 x W110xH 230 cm
Stainless quality to be used	316-304



Stick sıvı paketleme makinası, sıvı halindeki ürünleri (Yoğurt, Sıvı Yağ, Ketçap, Mayonez) stick paket tipinde doldurur. Paket malzemesi alüminyum ve kuşe kağıtlarla uyumludur.

This is a multiline vertical form fill seal packaging machine for liquid stickpack, whit it's high capacity, high configuraiton and stable working. It is very popular used pharmaceutical, chemical, and daily use product.



\* Stainless Frame  
 \* All product contact parts made of stainless (304)



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-Max: 40mm x 250 mm
Gramaj	Min: 2 gr - Max: 30 gr
Ürün Kapasitesi (Dk. Adet)	Min: 80 - Pk./Dk. Max: 150 Pk./Dk.
Makina Ağırlığı	400 kg
Elektrik İhtiyacı	2 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L145 x W110xH 230 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.-Max: 40mm x 250 mm
Weight of Bag	Min: 2 gr - Max: 30 gr
Production Capacity (sachet/min)	Min: 80 sachets/min Max: 150 sachets/min
Weight	400 kg
Electrical Data	2 KW/h 3x380 Volt. three-phased
Packing Metarial	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 atu 100Lt/min
Dimensions	L145 x W110xH 230 cm
Stainless quality to be used	316-304




# Stick Kahve Paketleme Makinası

"Coffee, Nescafe, 3in1, Spices And All Kind Of Powder Filling And Packaging Machine"



Stick paketleme makinası, toz halindeki ürünleri (Toz şeker, tuz, kuru kahve) stick paketler halinde doldurur. Paket malzemesi alüminyum ve kuşe kağıtlarla uyumludur.

This is a multiline vertical form fill seal packaging machine for granule stickpack, whit it's high capacity, high configuraiton and stable working. It is very popular used pharmaceutical, chemical, and daily use product.



## TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-Max: 40mm x 250 mm
Gramaj	Min: 2 gr - Max: 25 gr
Ürün Kapasitesi (Dk. Adet)	Min: 80 - Pk./Dk. Max: 150 Pk./Dk.
Makina Ağırlığı	400 kg
Elektrik İhtiyacı	2 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L145 x W110xH 230 cm
Paslanmaz Kalitesi	316-304

## TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.-Max: 40mm x 250 mm
Weight of Bag	Min: 2 gr - Max: 25 gr
Production Capacity (sachet/min)	Min: 80 sachets/min Max: 150 sachets/min
Weight	400 kg
Electrical Data	2 KW/h 3x380 Volt. three-phased
Packing Metarial	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 atu 100Lt/min
Dimensions	L145 x W110xH 230 cm
Stainless quality to be used	316-304



Dikey 4 kenar yapıştırıcı dolum makinası, sıvı, toz ve taneli halindeki ürünleri 4 kenarı baskılı olarak paketlenen bir makinedir. Makina fonksiyonel olarak tasarlanmış olup, dolum üniteleri değiştirildiğinde tüm toz, granül ve sıvı ürünleri paketlenme kabiliyetine sahiptir.

This is a fully automatic 4 side seal sachet packaging machine for filling and sealing. It is applicable for packing powder and granular materials such as sugar, salt, milk powder, coffee powder, chocolate powder, grain powder etc. in the industries of pharmacy, food, and agricultural chemicals.



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.60x60mm Max: 120x160mm
Gramaj	Min: 2 gr - Max: 100 gr
Ürün Kapasitesi (Dk. Adet)	Min: 50 - Pk./Dk. Max: 80 Pk./Dk.
Makina Ağırlığı	450 kg
Elektrik İhtiyacı	2 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L145 x W110xH 230 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.60x60mm Max: 120x160mm
Weight of Bag	Min: 2 gr - Max: 100 gr
Production Capacity (sachet/min)	Min: 50 sachets/min Max: 80 sachets/min
Weight	450 kg
Electrical Data	2 KW/h 3x380 Volt. three-phased
Packing Material	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 bar 100Lt/min
Dimensions	L145 x W110xH 230 cm
Stainless quality to be used	316-304



# Tam Otomatik Elektronik Terazili Dolum Makinası


## Vertical Form Fill, seal machine with linear weigher



Dikey Paketleme ve dolum makinası 70 gr'dan 1500 gr a kadar taneli ve toz halindeki ürünleri paketlemek üzere tasarlanmış olan makina, ürünün tipine uygun loadcell dolum sistemi kullanılır. Birçok paket malzemesi ile uyumludur. Paketleme kapasitesi, ürünün tipine, paket folyosu tipine, paket malzemesi ile uyumludur. Paketleme kapasitesi, ürünün tipine, paket folyosu tipine, paket büyüklüğüne ve gramajına bağlı olarak 25 pk./dk ile 50 pk./dk. arasında değişiklik göstermektedir.

Vertical packaging machines suitable to make bags starting from a flat foil reel, combined with linear weighers. Suitable to pack granular products ( short pasta, coffee, rice, legumes, dried fruit, candies, cereals, biscuits, snacks, pet food, detergent, etc.)

### Package Style/Paketleme Tipi



### Uygulamalar:

Bakliyat ürünleri, pirinç, mercimek, şekerleme, makarna, gıda tohumları, patlamış mısır, çay, cips, kraker vs. ürünlerinin ambalajlanmasında kullanılır.

### Application:

Short pasta, coffee, rice, legumes, dried fruit, candies, cereals, biscuits, snacks, pet food, detergent, etc.

Filling Range: 60 grams to 2500 grams-2500 grams to 5000 grams



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-60x60mm Max: 220x350mm
Gramaj	Min: 70 gr - Max: 2000 gr
Ürün Kapasitesi (Dk. Adet)	Min: 15 - Pk./Dk. Max: 60 Pk./Dk.
Makina Ağırlığı	800 kg
Elektrik İhtiyacı	5 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L2.70x W1.45 x H 2.45 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.-60x60mm Max: 220x350mm
Weight of Bag	Min: 70 gr - Max: 2000 gr
Production Capacity (sachet/min)	Min: 15 sachets/min Max: 60 sachets/min
Weight	800 kg
Electrical Data	5 KW/h 3x380 Volt. three-phased
Packing Material	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 atu 100Lt/min
Dimensions	L2.70x W1.45 x H 2.45 cm
Stainless quality to be used	316-304

Dikey paketleme ve dolum makinası, 70gr'dan 2000gr'a kadar toz halindeki ürünü paketlemek üzere tasarlanmış olan makina, ürünün tipine uygun vidalı dolum sistemi kullanılır. Bir çok paket malzemesi ile uyumludur. Paketleme kapasitesi, ürünün tipine, paket folyosu tipine, paket büyüklüğüne ve gramajına bağlı olarak 25 pk/dk. ile 50 pk/dk. arasında değişiklik göstermektedir. Tüm elektronik tartım sistemleri ile uyumlu olarak çalışabilmektedir.



We are engaged in fabricating industry standard auger filler or auger base collar type VFFS machine to meet the requirement of packing various products. The product being packed with the help of the VFFS machine are small granules, powders (non-free flowing), spices, soup mixtures, pharmaceutical and agricultural powders, ie, Filling range is from 70 gms to 2000 gr depending upon bulk density of products. The auger filler machine has high speed and can pack up to 60 packs per minute, depending on product flow properties and pack size.


### Uygulamalar:

Gerek kimyasal gerek gıda sanayisinde birçok sektörde kullanılan tüm toz halindeki ürünler un, kahve, kakao pudrası, süt tozu, toz biber, karbonat, tarım ilaçları, v.s.

### Application:

Vertical packaging machines suitable to make bags starting from a flat foil reel, combined with auger fillers. Suitable to pack powders (cacao, milk powder, flours, icing sugar, etc.)

### Package Sytle / Paket Tipi



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.60x60mm Max: 220x350mm
Gramaj	Min: 70 gr - Max: 2000 gr
Ürün Kapasitesi (Dk. Adet)	Min: 15 - Pk./Dk. Max: 60 Pk./Dk.
Makina Ağırlığı	700 kg
Elektrik İhtiyacı	5 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L2.70 x W1.45xH 2.45 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlength)	Min.60x60mm Max: 220x350mm
Weight of Bag	Min: 70 gr - Max: 2000 gr
Production Capacity (sachet/min)	Min: 15 sachets/min Max: 60 sachets/min
Weight	700 kg
Electrical Data	5 KW/h 3x380 Volt. three-phased
Packing Material	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 bar 100Lt/min
Dimensions	L2.70 x W1.45xH 2.45 cm
Stainless quality to be used	316-304




# Tam Otomatik Dikey Çoklu Kefeli Dolum Makinası

## Vertical Form Fill, seal machine with Multihead weigher



Tam otomatik dikey paketleme ve dolum makinası 70 gr'dan 5000 gr'a kadar taneli ve toz halindeki ürünleri paketlemek üzere tasarlanmış olan makina, ürünün tipine uygun elektronik çoklu dolum sistemi kullanılır. Bir çok paket malzemesi ile uyumludur. Paketleme kapasitesi, ürünün tipine, paket folyosu tipine, paket büyüklüğüne ve gramajına bağlı olarak 25 pk/dk. ile 70pk/dk. arasında değişiklik göstermektedir.



Multihead weighers meet all requirements of high speed, maximum accuracy, versatility, easy cleaning and maintenance. They are suitable to handle granular products: food products (biscuits, dried short pasta, sweets, coffee grains, chocolates, tea, snacks, grated cheese, rice, spices, legumes, dried fruit, pet food, baking products) and non food products (small bolts and nuts, electrical and hydraulic parts, metal and plastic small parts, etc.)


### Uygulamalar:

Bakliyat ürünleri, pirinç, mercimek, şekerleme, makarna, gıda tohumları, patlamış mısır, çay, cips, kraker v.s. ürünlerinin ambalajlanmasında kullanılır.

### Application:

Dry fruits, grains, pulses, seeds, potato chips, plantain chips, extruded snacks, banana wafers, peanut, frozen cut vegetables, whole spices, biscuits, coffee, confectionery, meat, cereals, cheese, fruit, mozzarella, non food, pasta, fish, snacks, frozen foods etc.

### Package Style/Paketleme Tipi



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-60x60mm Max: 220x350mm
Gramaj	Min: 70 gr - Max: 5000 gr
Ürün Kapasitesi (Dk. Adet)	Min: 15 - Pk./Dk. Max: 70 Pk./Dk.
Makina Ağırlığı	800 kg
Elektrik İhtiyacı	5 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L2.70x W1.45 x H 2.45 cm
Paslanmaz Kalitesi	316-304



### TECHNICAL DATA

Sachet Dimension (widthxlenght)	Min.-60x60mm Max: 220x350mm
Weight of Bag	Min: 70 gr - Max: 5000 gr
Production Capacity (sachet/min)	Min: 15 sachets/min Max: 70 sachets/min
Weight	800 kg
Electrical Data	5 KW/h 3x380 Volt. three-phased
Packing Material	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 bar 100Lt/min
Dimensions	L2.70x W1.45 x H 2.45 cm
Stainless quality to be used	316-304

Dikey 4 kenar yapıştırıcı dolum makinası, sıvı toz ve taneli halindeki ürünleri 4 kenarı baskılı olarak paketlenen bir makinedir. Makina fonksiyonel olarak tasarlanmış olup dolum üniteleri değiştirildiğinde tüm toz, granül ve sıvı ürünleri paketleme kabiliyetine sahiptir.

This is a fully automatic 4 side seal sachet packaging machine for filling and selaing. It is applicable for packing powder and granular materials such as sugar, salt, milk powder, coffee powder, chocolate powder, grain powder, etc. In the industries of pharmacy, food, and agricultural chemicals.

### Package Sytle / Paket Tipi



### TEKNİK ÖZELLİKLERİ

<b>Poşet Ölçüleri (enxboy)</b>	Min.60x60mm Max: 120x160mm
<b>Gramaj</b>	Min: 2 gr - Max: 100 gr
<b>Ürün Kapasitesi (Dk. Adet)</b>	Min: 50 - Pk./Dk. Max: 80 Pk./Dk.
<b>Makina Ağırlığı</b>	450 kg
<b>Elektrik İhtiyacı</b>	2 KW/h 3x380 Volt.
<b>Poşet Malzemeleri</b>	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
<b>Hava İhtiyacı</b>	5 bar 100Lt/min
<b>Makina Ölçüleri</b>	L1.45 x W120 x H 230 cm
<b>Paslanmaz Kalitesi</b>	316-304

### TECHNICAL DATA

<b>Sachet Dimension (widthxlenght)</b>	Min.60x60mm Max: 120x160mm
<b>Weight of Bag</b>	Min: 2 gr - Max: 100 gr
<b>Production Capacity (sachet/min)</b>	Min: 50 sachets/min Max: 80 sachets/min
<b>Weight</b>	450 kg
<b>Electrical Data</b>	2 KW/h 3x380 Volt. three-phased
<b>Packing Metarial</b>	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
<b>Air requirement</b>	5 bar 100Lt/min
<b>Dimensions</b>	L1.45 x W120 x H 230 cm
<b>Stainless quality to be used</b>	316-304



# Küp Şeker Makinası

## Cube Sugar Producing Machine



### Sugar Pressing Machines;

Full automatic cube sugar machines Semi automatic cube sugar machines Pearl sugar making machines Conic (Loaf) sugar wrapping machines envelope sugar wrapping machines pillow sugar wrapping machines hard sugar making machines

We are producing cube sugar making machine with production capacity between 2 TON - 25 TON



### Paketleme Yapabildiği Ürünler / Packaging;

Kolonyalı Mendil / Wet tissue

### Paketleme Hızı / Packaging speed;

80 paket / dakika - 80 sachets / minute

### Makina Özellik ve Avantajları;

- 5.7 Dokunmatik renkli ekran
- PLC kontrol sistemi
- Gıdaya temas eden yerler 304 kalite paslanmaz çelik
- Redüktörlü motor (1500 watt trafo)
- Tüm elektronik sistem Schneider'dir
- Ölçü değişimlerinde kolay ayar imkanı
- Servo motorla kontrol sağlama
- Sensörlü ambalaj fren sistemi
- Sistemlerimiz imalat ve montaj hatalarına karşı 2 yıl garantilidir.



### Sachet machine advantages;

- Machine dimensions: 190\*180\*80 cm
- Production Capacity: 80 sachets/min.
- Min.-Max. Tissue Size: 5\*5 cm - 10\*16 cm
- Min.-Max. Tissue Size: 8\*10 cm - 21\*24 cm
- Liquid filling: 2-30gr.
- Power: 1,5 Kw/h.
- Weight: 500kg.
- Film specifications: Alu + pe, Alu + paper + pe, Sulfide + pe
- Operator: 1 Person



### TEKNİK ÖZELLİKLERİ

Makina Gabari Ölçü	190*180*80 cm
Üretim Kapasitesi	80 paket / dakika
Min.Maxs. Mendil Ebadı	5*5-10*16 cm
Min.Maxs. Havlu Ebadı	8*10-21*24 cm
Likit Dolum Ölçüsü	2-30 gr
Elektrik Gücü	1.5 Kw/h.
Ağırlık	500 kg.
Ambalaj Özellikleri	Alu+pe, Alu+paper+pe, Sulfide+pe
Kapladığı Alan	2 m2
Operatör Sayısı	1 kişi

### TEKNİKAL DATA

Machine dimensions	190*180*80 cm
Production Capacity	80 sachets / min.
Min. Max. tissue size	5*5-10*16 cm
Min.Max. towel size	8*10-21*24 cm
Liquid filling	2-30 gr
Power	1.5 Kw/h.
Weight	500 kg.
Film specifications	Alu + pe, Alu + paper + pe, Sulfide + pe
Extent	2 m2
Operator	1 person



# Tekli Şeker Sarma Makinası

## Single Sugar Wrapping Machine



Tekli şeker ambalajlama makinası ile tamamen el değmeden ambalajlanan küp şekerler tüketiciye daha sağlıklı şartlarda sunulmaktadır.

Makinamız seri şekilde dakikada 300 adet küp şekeri tekli halde sarmaktadır. Makinamız 2 yıl garantilidir.



Single wrapping machine, sugar cubes are packaged completely untouched so they are offered to the consumer under healthier conditions. The system is synchronized mechanical works. Winding - minute capacity of 300 runs.



### TEKNİK ÖZELLİKLERİ

Poşet Ölçüleri (enxboy)	Min.-60x60mm Max: 220x350mm
Gramaj	Min: 70 gr - Max: 5000 gr
Ürün Kapasitesi (Dk. Adet)	Min: 15 - Pk./Dk. Max: 70 Pk./Dk.
Makina Ağırlığı	800 kg
Elektrik İhtiyacı	5 KW/h 3x380 Volt.
Poşet Malzemeleri	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Hava İhtiyacı	5 bar 100Lt/min
Makina Ölçüleri	L2.70x W1.45 x H 2.45 cm
Paslanmaz Kalitesi	316-304

### TECHNICAL DATA

Sachet Dimension (widthxlenght)	Min.-60x60mm Max: 220x350mm
Weight of Bag	Min: 70 gr - Max: 5000 gr
Production Capacity (sachet/min)	Min: 15 sachets/min Max: 70 sachets/min
Weight	800 kg
Electrical Data	5 KW/h 3x380 Volt. three-phased
Packing Metarial	Alüminum Foil, OPP+OPP, OPP+PE, Metallised+AL+PE
Air requirement	5 atu 100Lt/min
Dimensions	L2.70x W1.45 x H 2.45 cm
Stainless quality to be used	316-304

### Screw Conveyor

A screw conveyor or auger conveyor is a mechanism that uses a rotating helical screw blade, usually within a tube, to move powdered and granular materials. They are used in many bulk handling industries. Screw conveyors in modern industry are often used horizontally or at a slight incline as an efficient way to move semi-solid materials.

### Z Type bucket conveyor / Slanted Conveyor

The Z type bucket conveyor is used for vertical elevating the granular products in the industries of grain, food, feedstuff and chemical. It can be combined with the vertical form-fill-seal machine with 10 heads combination weigher and packing machine to form food automatic filling with certain proportion system, which is widely used in food packing field.



### Date Coder

Automatic On-Line High Speed Coding on various packaging machines. The Message to be printed is very date coder uniteasily composed by just assembling the stereos (easily changeable) on to the print drum. The inking system consists of a rechargeable circular cartridge, which is fully enclosed allowing the use of fast-drying & indelible solvent-based inks for porous and non-porous surfaces. The whole assembly is directly mounted on the packaging machine & the film passes over the roller of the bracket.

### Inkjet Coding Machine

Designed for low duty applications, the inkjet coding machine is the perfect product to fulfil applications that involve printing codes 8 to 10 hours per day / 5 days a week. The printer is engineered to keep your line up and running longer. It is designed for customers with simple coding needs and is ideal for the food, beverage, chemical, pharmaceutical and personal care / cosmetics industries.



### Extra Collar and Pipes

Forming tube for pillow bag: it is used to pack in pillow shape packs according to the product and the weight. It is necessary when there is a demand for different weight and pack width.

Forming tube for stand up bag: It is used to pack in stand up bag shape packs according to the product and the weight. It is necessary when there is a demand for different weight and pack width.

Forming tube for Quadro bag: It is used to pack in quadro bag (stabilo bag) shape packs according to the product and the weight. It is necessary when there is a demand for different weight and pack width.



### Finished Product Conveyor

A conveyor system is a common piece of mechanical handling equipment that moves materials from one location to another. Conveyors are especially useful in applications involving the transportation of heavy or bulky materials. Conveyor systems allow quick and efficient transportation for a wide variety of materials, which make them very popular in the material handling and packaging industries.



### Rotary Table



Rotary accumulation tables receive and accumulate bags from the bagging line prior to case packing.





# Bardak Dolum Makinası

## Cup Filling Machine





**GDH MAKİNA SANAYİ VE  
DIŞ TİCARET LTD. ŞTİ.  
Bayrampaşa, Maltepe - İstanbul**

**T: 0216 383 17 25  
G: 0539 526 36 37  
G: 0507 820 57 60**



**info@gdhmakina.com  
info@gdhpackaging.com  
www.gdhmakina.com  
www.gdhpackaging.com**